


**Quality You Can Trust
Comfort You Can Feel!**

DuctlessAire

Mini Splits




Brackets



Line Sets



PVC Covers



- Mini Split Line Sets
- Wall Mounting Brackets
- Hide-A-Line PVC Covers
- Ductless Mini Split Heat Pumps



Hold-Up

Wall Mount Brackets For Ductless Mini Split Air Conditioners

Premium Stainless Steel 201

9,000 - 36,000 BTU



Dimensions (Inch):

Model #	Width	Height	Depth
BSS-3LP-HD	33 1/2	18	22

Features:

- Super Strong - Holds up to 300 LBS!
- 1 1/2" Tall Anti-Vibration Mounting Feet
- Adjustable Backstop
- Hardware Included

Premium Powder Coated

9,000 - 36,000 BTU



Dimensions (Inch):

Model #	Width	Height	Depth
BPC-3LP-HD	33 1/2	18	22

Features:

- Super Strong - Holds up to 300 LBS!
- 1 1/2" Tall Anti-Vibration Mounting Feet
- Adjustable Backstop
- Hardware Included

Standard Powder Coated

9,000 - 12,000 BTU



Dimensions (Inch):

Model #	Width	Height	Depth
BPC-2SS	-	14 1/4	17

Features:

- Super Strong
- Hardware Included

TOSHIBA

Powered Ductless Technology



- Toshiba Compressor
- R410A Pre-charged
- Anti-Corrosion Coated Coils
- Self-Diagnosis & Auto-Control
- Ultra Quiet Operation
- Auto & 3 Speed Fan
- Low Ambient Antifreeze Protection
- Independent Dehumidification
- Quality Control Factory Tested
- Auto Restart, Sleep Mode, Turbo Mode, On/Off 24 Hour Timer
- Swing Louver Mode Changes The Flap Mode: Neutral Flow, Swing Or Fixed Wind
- Wireless Remote Control
- System Operates With One Control Board Enhancing Reliability
- Stylish Air Handler - LED Display
- Highly Efficient Permanent Washable Filters

Model Number	DA0913-H120	DA1213-H120	DA1813-H230	DA2413-H230
Power Supply (V/Ph/Hz)	110-120/1/60	110-120/1/60	208-230/1/60	208-230/1/60
Capacity (Btu/h) Cooling	9000	12000	18000	24000
Heating	9000	12000	18000	24000
SEER	13	13	13	13
HSPF	8	8	8	7.7
EER	12	12	12	11
Dehumidification (Pts/Hr)	1.58	2.11	2.99	4.40
Current (A) Rated/Max Cooling	7.2/10.2	9.6/13.1	6.5/8.6	8.5/10.2
Heating	6.8/9.64	9.3/12.3	6.4/8.6	8/9.9
Power Consumption (kW) Rated/Max Cooling	0.77/1.12	1.01/1.42	1.48/1.85	1.93/2.21
Heating	0.72/1.05	1/1.35	1.48/1.85	1.8/2.14
Indoor Air Circulation: L / M / H (CFM)	223/276/330	276/330/376	500/553/618	612/665/724
Indoor Noise Level dB(A): L / M / H	42/38/35	42/38/35	50/47/44	50/47/44
Outdoor Fan Speed (RPM)	910	790	780	780
Outdoor Noise Level dB(A)	~55	~55	~60	~59
Indoor Fan Speeds	1250/1100/950	1250/1100/950	1220/1100/1000	1220/1100/1000
Connection Method	Flare	Flare	Flare	Flare
Max Pipe Length (Ft.)	49.2	49.2	49.2	49.2
Max Elevation (Ft.)	16.4	16.4	16.4	16.4
Pipe Size (In.)	1/4 / 1/2	1/4 / 1/2	3/8 / 5/8	3/8 / 5/8
Service Port Connection (In.)	1/2	1/2	1/2	1/2
Indoor Dimensions W x D x H (In.)	31.50x11.02x7.48	35.43x11.50x8.46	42.52x13.19x9.65	48.23x12.99x9.65
Indoor Package Dimensions W x D x H (In.)	33.86x13.78x10.43	38.98x14.84x11.81	46.26x15.55x12.60	52.56x16.14x12.60
Indoor Net Weight (Lbs.)	22	31	40	44
Indoor Gross Weight (Lbs.)	26	37	51	55
Outdoor Dimensions W x D x H (In.)	31.30x10.04x21.26	33.46x11.61x23.82	35.43x12.99x32.87	35.43x12.99x32.87
Outdoor Package Dimensions W x D x H (In.)	36.22x13.19x23.43	39.17x16.34x27.17	40.55x17.32x37.80	40.55x17.32x37.80
Outdoor Net Weight (Lbs.)	73	110	143	143
Outdoor Gross Weight (Lbs.)	77	117	154	154
Refrigerant	R410A	R410A	R410A	R410A

PVC Parts

The Professional's Choice Tubing Cover For HVAC & Plumbing Industry



Hide-A-Line Kit

Mounting Hardware Included

Model #	Qty.	Part Name
DA-75B	1	Wall Cover
DA-75C	1	Coupler

Model #	Qty.	Part Name
DA-75G	2	39" Hide – A - Line
DA-75K	1	End Cap





Corner Cap

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75A	3 1/4	2 3/4	2 1/2	4 7/8	4 7/8
DA-110A	4 5/8	3 1/4	2 1/2	7 1/8	6





Wall Cover

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75B	3 1/4	2 3/4	8 1/4	3 3/4	3 1/4
DA-110B	4 5/8	3 1/4	9 5/8	4 5/8	3 3/4





Coupler

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75C	3 1/4	2 3/4	3 1/8	-	-
DA-110C	4 5/8	3 1/4	3 1/8	-	-




90° Elbow

(Vertical)

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75D	3 1/4	2 3/4	4 7/8	-	-
DA-110D	4 5/8	3 1/4	5 1/2	-	-




90°-120° Elbow


(Horizontal)

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75E	3 1/4	2 3/4	6	-	-
DA-110E	4 5/8	3 1/4	8 1/8	-	-







90°-120° Elbow

(Vertical)

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75F	3 1/4	2 3/4	4 3/4	-	-
DA-110F	4 5/8	3 1/4	5 1/8	-	-




Hide-A-Line

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75G	3	2 1/2	78	-	-
DA-110G	4 3/8	3	78	-	-




T-Joint

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75I	3 1/4	2 3/4	4 3/4	6 1/4	1





Flexible Joint

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75J	3	2 1/2	2 3/8	21 5/8	-




End Cap

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75K	2 1/4	2 1/4	3 1/2	3 1/4	2 3/4
DA-110K	3 3/8	2 3/4	3 1/2	4 5/8	3 1/4




Bridge Coupler

Packing Multiplier: 12 Units / Mounting Hardware Included

Dimensions (Inch):

Model #	A	B	C	D	E
DA-75L	3 1/4	2 3/4	7	2	-
DA-110L	4 5/8	3 1/4	7	2	-



Mini Split Line Sets



Features:

- ACR Copper
- Flared Ends With Nuts
- Insulation Thickness: 3/8" or 1/2"
- Pre-Insulated With Efficient Elastomeric Thermal Insulation, Black In Color

Dimensions:

Model #	Length	Liquid Line	Suction Line
LSFE-1438-16	16ft	1/4"	3/8"
LSFE-1438-25	25ft	1/4"	3/8"
LSFE-1412-16	16ft	1/4"	1/2"
LSFE-1412-25	25ft	1/4"	1/2"
LSFE-3858-16	16ft	3/8"	5/8"
LSFE-3858-25	25ft	3/8"	5/8"

DuctlessAire

DuctlessAire Headquarters
6221 Monticello Road
Columbia, SC 29203

Tel: (803) 799-2828

Fax: (803) 799-2829

www.ductlessaire.com

Contact Your Distributor Today:

